

ADISTEC PROFESSIONAL SERVICES

FortiGate Rapid Deploy for FG 30 to FG400 series devices

DESCRIPTION

Fortigate® Rapid Deploy for FG30 to FG400 is a set of activities and procedures that, following industry and Fortinet® best practices, help you minimize installation times for Fortigate® appliances, optimizing configuration and ensuring proper production deployment. Applies to Fortigate® 30 through Fortigate® 400 family appliances.

SCOPE OF OUR SERVICE

- Infrastructure Review
 - Configuration of one (1) physical appliance in standalone mode or two appliances in High Availability (HA)
 - Firmware Update
 - License Activation
 - Network Configuration
 - IP address assignment
 - Configuration of up to four (4) network interfaces
 - Configuration of up to five (5) Static Routes
 - Configuration of up to two (2) DHCP scopes
 - Configuration of High Availability
 - Configuration of HA group
 - Configuration of one (1) Heartbeat Interface
 - Configuration of Device Management
 - Creation of one (1) administrative profile
 - Creation of one (1) administrative user
 - Configuration of SDWAN for Internet Access
 - Configuration of up to two (2) interfaces
 - Configuration of one (1) SDWAN Zone
 - Configuration of one (1) performance SLA
- Base Configuration**
- Configuration of up to (10) Firewall Rules
 - Configuration of Traffic Shaping
 - Configuration of up to five (5) virtual IPs (Static NAT)
- Firewall Services Configuration**
- Up to five (5) UTM profiles Will be used
 - Default settings will be enabled
 - Any of the default UTM profiles can be selected
- UTM Services Configuration**

VPN Services Configuration

- Configuration up to one (1) site to site VPN tunnel
- Configuration up to one (1) Remote Access (SSL) VPN Setup for up to five (5) users

Logging Configuration

- Configuration up to one (1) logging method
 - Connection to FortiAnalyzer
 - Sending to Syslog
 - Sending via SNMP

FortiCloud Configuration

- Configuration of FortiCloud for Administration
- Configuration of FortiGate Cloud for Logging

SERVICE DETAILS

Mode: On-Line

Estimated Duration: 16 hours

PART NUMBER

P/N	Description
APS-FTN-FGRDBASIC	Fortigate® Rapid Deploy for FG30 to 400

LIMITATIONS AND OUT OF SCOPE

The client is responsible for ensuring that the Fortigate equipment and any other necessary devices are physically installed and connected to the local network and/or WAN. Adistec will not perform the physical deployment tasks of the equipment and additionally it is required that remote access be provided for configuration via the internet. Integration with authentication services, dynamic routing, creation of VDOMs and validation/authentication of users by means of digital certificates, tokens or other means is excluded. As far as the VPN architecture is concerned, the client is responsible for providing the parameters for the VPN configuration, coordinating and running the tests of the services that pass through the VPN. The configuration of UTM profiles only includes the default configuration and no custom configurations are made. The availability of the sensors to be configured in the UTM profiles depends on the license purchased. Some features of the service require the customer to have the appropriate license purchased.

